


LCD COLOUR MODULE

Model No. LCD220mod

22.0" TFT LCD Colour Video Wide Screen Module, De-Interlace, inputs of DVI, Composite & Y/C (S-Video) BNC connectors and Video Loop through. Audio In/Out and via speaker connection. I/R sensor. Optional RS232 control. Other sizes 10.4", 12.1", 15.0", 15.4", 20.0", 26", 32", 42".



Library Image

The LCD220mod with TFT technology and De-Interlaced picture offers Professional sharp images and with high contrast ratio 1000:1 and Brightness 300 cd/m² gives superb pictures. With DVI interface and BNC Connectors, Video Loop through, Audio In/Out connectors and Audio via speaker connection makes it a truly versatile Module. This compact unit is ideal for Multimedia Video and Surveillance systems applications.

SPECIFICATIONS:

- High resolution 1,764,000 pixels, 1680x1050 Active area: 473.76 x 296.0 (WxH)mm
 - PAL & NTSC Auto. Brightness 300 cd/m², Contrast Ratio: 1000:1.
 - Picture Ratio: 16:9 & 4:3. Response Time: 5 ms (Tr + tf). 16.7M Colours.
 - Controls: Source, Menu, Item, Up, Down, Power.
 - Viewing angle: Left/Right/Up/Down 80/80/85/85°.
 - Power Source: 12V DC, 3.3 Amp, 40 Watts approx.
 - Dimensions: Panel: x x . Main PCB: 227 x 20 x 95. (WxHxD)mm.
 - Temp: Operation: -0°C ~ +50°C. Storage: -20°C ~ +60°C
 - Finished in Module form. Weight: 6.12 Kgms approx..
Connections: DVI Socket, PC 15 pin Sub-D, Audio Out 3.5mm Jack socket, DC input: 2.1mm socket. Video In/Out 1 & 2: BNC, Y/C (S-Video) In: 4 pin mini din socket, Audio In/Out 1 & 2: Phono sockets.
- *Please note: A degree of technical knowledge will be required to install this module.*
- All information correct at time of going to press. Design and specification are subject to change without prior notice. E&EO.

Standard Accessories None
